

IQ-FLOOR®

World's lowest height adjustable raised floor system



The fast and easy way to build affordable raised floors. Perfect for fair stands, shops and office buildings.

- ▶ **TOTAL HEIGHT from 41 mm ONLY** - 23 mm of space for cables, pipes etc.
- ▶ **EASY TO INSTALL** - without any tools or knowledge
- ▶ **FAST LAYING** - 1 person = 200 m² in 1 hour
- ▶ **EASY TO CONNECT** - by using patented IQ-Connectors
- ▶ **HEIGHT ADJUSTABLE** - by levelling unevenness up to 10 mm
- ▶ **SMOOTH WALKING** - by using patented IQ-Softwalk-Cushions
- ▶ **EASY TO HANDLE** - by using 1 x 1 m floor panels
- ▶ **HEAVY DUTY** - flat load 1.000 kg/m², point load 300 kg
- ▶ **CABLE OUTLETS** - exactly where they are needed
- ▶ **DIFFERENT PLINTHS** - of plastic or aluminum, even with LED light
- ▶ **SUSTAINABLE** - by re-usable material and parts
- ▶ **ECONOMICAL** - by low purchase, transportation and storage costs

IQ-FLOOR Panels

Standard size 999 x 999 x 18+ mm, special sizes on request eg. 3 x 3 ft.

IQ-Indoor panels and connecting parts are manufactured by using high quality material only and the perfect solution for use in indoor environments. All panels are pre-assembled and ready-for-use. All UV-printed and sealed coatings conform even higher than to the norm EN 438/1. According to this, they are impact resistant, scratch and wear-resistant, lightfast, heat-resistant, hygienic and easy to clean.



Basic

Platform for own floor coverings


Solid OSB 18 mm
weight ca. 12 kg,
total height 41 mm



Super Matte

with extra matte finishings

Chipboard 18 mm
UV-printed surface,
backing laminate on the reverse,
ABS edging, weight 14 kg,
total height 42 mm



White

with anti-slip surface

Chipboard 18 mm
surface white RAL 9016,
backing laminate on the reverse,
ABS edging white, weight 14 kg,
total height 42 mm



High Gloss

with high gloss finishings

Chipboard 18 mm
UV-printed surface,
backing laminate on the reverse,
ABS edging, weight 14 kg,
total height 42 mm



Decor

with anti-slip surface

Chipboard 18 mm
UV-printed surface,
backing laminate on the reverse,
ABS edging, weight 14 kg,
total height 42 mm



Freestyle

Custom made decors

UV-printed surface with decors
chosen from our data-base,
in NCS-/Pantone-Colours or your
own picture, sketch, logo etc.
backing laminate on the reverse,
ABS edging, weight 14 kg,
total height 42 mm



Decor Structure

with structured wood/stone surface

Chipboard 18 mm
UV-printed stone/wood surface,
backing laminate on the reverse,
ABS edging, weight 14 kg,
total height 42 mm

Copyright: IQ-CREW BV, Utrecht

IQ-CREW BV, Pieter Nieuwlandstraat 33B, NL-3514 HC Utrecht,
Email: info@iq-crew.com, www.iq-floor.com,
Tel. ++31 6 54 64 11 70
Directors: B.A.J. Paul Wilke, Joachim Sparenberg,
Chamber of Commerce Utrecht H527345870000,
BTW/VAT NL-850573968B01

IQ-FLOOR Construction

with patented solid IQ-Connectors and anti-slip IQ-Softwalk-Cushions and height adjustable base to level unevenness up to 10 mm


Bottom view

IQ-Connector


IQ-Softwalk-Cushions

IQ-Counter piece height adjustable

IQ-Floor Panel with ABS-edging



Side view



IQ-Floor Panels

will be delivered with pre-assembled IQ-Connectors and IQ-Softwalk-Cushions and are ready to use.


The **clearance of 23 mm** provides space for **cables, hoses and tubes**.

The **outlets** may be placed right on the spot.



IQ-FLOOR®

World's lowest height adjustable raised floor system



We are specialists with decades of experience in realising fair stand and shop interiors. True to the motto 'Nothing is impossible!' we want to support you in solving any problems.



Paul Wilke

Sales Benelux
Phone +31 6 54 64 11 70
Email info@iq-crew.com



Joachim Sparenberg

Sales D, A, CH, International
Phone +49 (0)176 42165443
Email sparenberg@iq-crew.com